

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	0	(bybrid adj network) same (cable with optic\$3 with copper)\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:07
S14	0	(bybrid adj network) same (cable with optic\$3 with wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:07
S15	0	(bybrid adj network) and (cable with optic\$3 with wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:07
S16	0	(bybrid adj network) and (cable and optic\$3 and wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:08
S17	124098	(cable and optic\$3 and wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:09
S18	70978	(cable and optic\$3 and wire) and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:09
S19	0	(bybrid near2 network) and (cable and optic\$3 and wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:10
S20	14365	(cable with optic\$3 with wire) same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:11
S21	8334	(cable with optic\$3 with wire) with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:11

S22	225	(cable near2 optic\$3 near2 wire) near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:12
S23	52	S22 and (broadband narrowband)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:12
S24	116	(ratio percent\$3 fraction) with ((broadband narrowband) near3 (link cable line connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/23 20:14
S25	3	magnone-lorenzo\$.in. and covino-giuseppe\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 10:24
S26	770	(telecom\$10 adj italia).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 10:25
S27	11	S26 and ((quality service) adj3 (analysis analiz \$3 determin\$6 control measur\$6)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 10:25
S28	2	S27 and (access adj (network point system device equipment station terminal)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 10:25
S29	24641	370/229-235,252-255,353.ccls. 398/45,46,66,74,2,115,116.ccls. 379/1.01,9.04,14.01,15.01,32.01.ccls. 709/45,46,66,74,82,115,116.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:37
S30	9317	(estimat\$3 calculat\$3 determin\$3 count\$3) adj2 ((number polulation online) near2 (user subscriber terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:37
S31	12549	(estimat\$3 calculat\$3 determin\$3) adj2 ((available remaining residual spare utilization used idl\$3 consumed) near2 (bandwidth rate capacit\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:38

S32	10	S29 and S30 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:38
S33	103	S30 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:39
S34	26	S33 and (broadband narrowband)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:39
S35	52	S29 and ((determin\$3 estimat\$3 calculat\$3 obtain\$3) with ((number ratio percent\$3 portion count amount quantity) near3 ((broadband ((high adj (bandwidth rate speed throughput)) narrowband optic\$3) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 11:44
S36	7	S30 and ((determin\$3 estimat\$3 calculat\$3 obtain\$3) with ((number ratio percent\$3 portion count amount quantity) near3 ((broadband ((high adj (bandwidth rate speed throughput)) narrowband optic\$3) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:02
S37	8	S31 and ((determin\$3 estimat\$3 calculat\$3 obtain\$3) with ((number ratio percent\$3 portion count amount quantity) near3 ((broadband ((high adj (bandwidth rate speed throughput)) narrowband optic\$3) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:23
S38	3542	((determin\$3 estimat\$3 calculat\$3 obtain\$3) with ((number ratio percent\$3 portion count amount quantity) near3 ((broadband ((high adj (bandwidth rate speed throughput)) narrowband optic\$3) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:27
S39	1776	(determin\$3 estimat\$3 calculat\$3 obtain\$3) with ((ratio percent\$3 portion) adj5 ((broadband ((high adj (bandwidth rate speed throughput)) narrowband optic\$3) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:31
S40	247	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 ((broadband ((high adj (bandwidth rate speed throughput)) optic\$3) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:32
S41	29	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 ((broadband ((high adj (bandwidth rate speed throughput))) adj (line cable connection fiber fibre wire link))))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:39

S42	31	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 ((broadband ((high adj (bandwidth rate speed throughput)) DSL ADSL XDSL) adj (line cable connection fiber fibre wire link))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:43
S43	0	((number count) adj2 ((broadband (high adj (bandwidth rate speed throughput capacity)) DSL ADSL XDSL) adj (line cable connection fiber fibre wire link))) near3 ((number count) adj2 (narrowband ((low\$2 adj (bandwidth rate speed throughput capacity)) copper twisted) adj (line wire link connection)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:50
S44	1	((number count) adj2 ((broadband (high adj (bandwidth rate speed throughput capacity)) DSL ADSL XDSL) adj (line cable connection fiber fibre wire link))) with ((number count) adj2 (narrowband ((low\$2 adj (bandwidth rate speed throughput capacity)) copper twisted) adj (line wire link connection)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:50
S45	1	((number count) adj2 ((broadband (high adj (bandwidth rate speed throughput capacity)) DSL ADSL XDSL) adj (line cable connection fiber fibre wire link))) with ((number count) adj2 (narrowband ((low\$2 adj (bandwidth rate speed throughput capacity)) copper twisted normal telephone) adj (line wire link connection)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:52
S46	3	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 ((broadband (high adj (bandwidth rate speed throughput)) DSL ADSL XDSL) adj (line cable connection fiber fibre wire link)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:53
S47	9	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 ((broadband narrowband ((high low) adj (bandwidth rate speed throughput)) DSL ADSL XDSL copper twisted normal telephone) adj (line cable connection fiber fibre wire link pair loop)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:55
S48	0	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 (((different multiple plural\$3) adj (type class categor\$3)) adj (line cable connection fiber fibre wire link pair loop)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 12:59
S49	5	(determin\$3 estimat\$3 calculat\$3 obtain\$3) adj4 ((ratio percent\$3 portion) adj2 (((type class categor\$3)) adj (line cable connection fiber fibre wire link pair loop)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 13:00
S50	530	(determin\$3 estimat\$3 calculat\$3 obtain\$3) with ((ratio percent\$3 portion) near5 (((type class categor\$3)) near2 (line cable connection fiber fibre wire link pair loop)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 13:01

S51	9	S50 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 13:02
S52	0	S50 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 13:06
S53	4	S50 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/24 13:07

9/ 24/ 2010 1:09:31 PM

C:\ Documents and Settings\ Alai1\ My Documents\ EAST\ Workspaces\ 10593969_quality_status_cable_ntwrk.wsp